

**Literatur zum Artikel von Albert Fujak: Orthesen und orthopädietechnische Hilfsmittel bei Patienten mit Spinalen Muskelatrophien (SMA), „Praxis der Kinder-Reha“ 2011, S. 28ff.**

Bono R, Inverno M, Botteon G, Iotti E, Estienne M, Berardinelli A, Lanzi G, Fedrizzi E. Prospective study of gross motor development in children with SMA type II. Ital J Neurol Sci 1995; 16: 223-230.

Brunner R, Gebhard F. Neurogene Wirbelsäulendeformitäten. Teil 1: Konservative und operative Behandlung von Deformitäten an der Wirbelsäule. Orthopade 2002; 31: 51-57.

Brzustowicz LM, Lehner T, Castilla LH, Penchaszadeh GK, Wilhelmsen KC, Daniels R, Davies KE, Leppert M, Ziter F, Wood D, et al. Genetic mapping of chronic childhood-onset spinal muscular atrophy to chromosome 5q11.2-13.3. Nature 1990; 344: 540-541

Chung BH, Wong VC, Ip P. Spinal muscular atrophy: survival pattern and functional status. Pediatrics 2004;114: e548-553  
13. Evans GA, Drennan JC, Russman BS. Functional Classification and orthopaedic management of spinal muscular atrophy. J Bone Joint Surg [Br] 1981; 63: 516-522

Forst R, Benning J, Forst J, Hengstler K. Indikation und Grenzen der Korsettversorgung bei Muskelkrankheiten. Med Orthop Techn 1990; 110: 88-95

Forst R, Forst J, Heller KD, Hengstler K. Besonderheiten in der Behandlung von Skoliosen bei Muskelsystemerkrankungen. Z Orthop 1997; 137: 95-105

Forst R, Ingenhorst A, Mortier W. Neuromuskuläre Systemerkrankungen. In Zichner L (eds). Orthopädie und Orthopädische Chirurgie. Systemerkrankungen. Thieme, Stuttgart New York 2003: 243-254

Fujak A, Ingenhorst A, Heuser K, Forst R, Forst J. Treatment of scoliosis in intermediate spinal muscular atrophy (SMA type II) in childhood. Ortop Traumatol Rehabil 2005; 7: 175-179

Fujak A, Wollinsky KH, Forst R. Proximale Spinale Muskelatrophien (SMA). Z Orthop Ihre Grenzgeb 2007; 145: 233-252.

Fujak A, Kopschina C, Gras F, Forst R, Forst J. Contractures of the upper extremities in spinal muscular atrophy type II. Descriptive clinical study with retrospective data collection. Ortop Traumatol Rehabil 2010; 12: 410-419 (a)

Fujak A, Kopschina C, Forst R, Mueller LA, Forst J. Use of orthoses and orthopaedic technical devices in proximal spinal muscular atrophy. Results of survey in 194 SMA patients. Disabil Rehabil Assist Technol. 2010 Oct 12. [Epub ahead of print] (b)

Fujak A, Kopschina C, Gras F, Forst R, Forst J. Contractures of the lower extremities in spinal muscular atrophy type II. Descriptive clinical study with retrospective data collection. Ortop Traumatol Rehabil 2011; akzeptiert, im Druck

von Gontard A, Zerres K, Backes M, Laufersweiler-Plass C, Wendland C, Melchers P, Lehmkuhl G, Rudnik-Schöneborn S. Intelligence and cognitive function in children and adolescents with spinal muscular atrophy. Neuromuscul Disord 2002; 12:130-136.

Granata C, Merlini L, Magni E, Marini ML, Stagni SB. Spinal muscular atrophy: natural history and orthopaedic treatment of scoliosis. Spine 1989; 14: 760-762

Hsu JD. Surgical Correction of Foot Deformity in the SMA Patient. Orthopaedic Review 1979; 8: 101-104

Jones MA, McEwen IR, Hansen L. Use of power mobility for a young child with spinal muscular atrophy. Phys Ther 2003; 83: 253-262.

Lefebvre S, Burglen L, Reboullet S, Clermont O, Burlet P, Viollet L, Benichou B, Cruaud C, Millasseau P, Zeviani M, et al. Identification and characterization of a spinal muscular atrophy-determining gene. Cell. 1995; 80: 155-165

Lonstein J E. Management of spinal deformity in Spinal Muscular Atrophy. In: Merlini L, Granata C, Dubowitz V. (eds). Current concepts in childhood spinal muscular atrophy. Wien New York: Springer 1989: 165-174

Melki J, Abdelhak S, Sheth P, Bachelot MF, Burlet P, Marcadet A, Aicardi J, Barois A, Carriere JP, Fardeau M, et al. Gene for chronic proximal spinal muscular atrophies maps to chromosome 5q. Nature 1990; 344: 767-768

Miller G, O'Connor J. Spinal bracing and respiratory function in Duchenne muscular dystrophy. Clin Pediatr (Phila) 1985; 24: 94

Noble-Jamieson CM, Heckmatt JZ, Dubowitz V, Silverman M. Effects of posture and spinal bracing on respiratory function in neuromuscular disease. Arch Dis Child 1986; 61: 178-81

Riddick MF, Winter RB, Lutter LD. Spinal deformities in patients with spinal muscular atrophy. Spine 1982; 7: 476-483

Robinson D, Galasko CS, Delaney C, Williamson JB, Barrie JL. Scoliosis and lung function in spinal muscular atrophy. *Eur Spine J* 1995; 4: 268-273

Rudnik-Schöneborn S, de Visser M, Zerres K. Spinal Muscular Atrophies. In: Engel A, Franzini-Armstrong C (eds). *Myology*. McGraw-Hill, New York 2004: 1845-1864.

Schrank B, Götz R, Gunnensen JM, Ure JM, Toyka KV, Smith AG, Sendtner M. Inactivation of the survival motor neuron gene, a candidate gene for human spinal muscular atrophy, leads to massive cell death in early mouse embryos. *Proc Natl Acad Sci USA* 1997; 94: 9920-9925.

Stallard J, Lomas B, Woollam P, Farmer IR, Jones N, Poiner R, Miller K. New technical advances in swivel walkers. *Prosthet Orthot Int* 2003; 27: 132-8.

Sucato DJ. Spine deformity in spinal muscular atrophy. *J Bone Joint Surg [A]* 2007; 89: 148-154.

Tangsrud SE, Carlsen KC, Lund-Petersen I, Carlsen KH. Lung function measurements in young children with spinal muscle atrophy; a cross sectional survey on the effect of position and bracing. *Arch Dis Child* 2001; 84:521-524.

Zerres K, Rudnik-Schöneborn S, Wirth B. Proximale spinale Muskelatrophien. *Dt Arztebl* 1998; 95 A: 1667-1674.