

**Literatur zum Artikel von Michel Thill und Rainer Zumhasch:
Das „Graded Moto Imagery“-Training beim CRPS-I-Syndrom (Morbus
Sudeck, „Praxis Physiotherapie“ 1/2010, S. 43ff.**

1. Atkins R.M, T. Duckworth, J.A. Kanis (1989). Algodystrophy following Colles' fracture. *J Hand Surg [Br]* 14(2), 161 - 4.
2. Ascherl R., G. Blumel (1981). [Clinical picture in Sudeck's dystrophy] Zum Krankheitsbild der Sudeck'schen Dystrophie. *Fortschr Med* 99(19), 712 - 20.
3. Backonja M.M. (1994). Reflex sympathetic dystrophy/sympathetically maintained pain/causalgia: the syndrom of neuropathic pain with dysautonomia. *Sem Neurol* 14, 263 - 271.
4. Blumberg H. (1991). A new clinical approach for diagnosing reflex sympathetic dystrophy. M.R. Bond, C.J. Charlton, C.J. Woolf, editors. 395-403. Amsterdam, Elsevier Science Publishers. *Proceedings of the 6th World Congress on Pain*. Ref Type: Serial (Book,Monograph)
5. Blumberg H. (1991). A new clinical approach for diagnosing reflex sympathetic dystrophy. M.R. Bond, C.J. Charlton, C.J. Woolf, editors. 395-403. Amsterdam, Elsevier Science Publishers. *Proceedings of the 6th World Congress on Pain*. Ref Type: Serial (Book,Monograph)
6. Blumberg H (1992). Clinical and pathophysiological aspects of reflex sympathetic dystrophy abd sympathetically maintained pain. Jäning W, Schmidt RF, editors. 29 - 49. Weinheim, VCH Verlagsgesellschaft. *Reflex Sympathetic Dystrophy*. Ref Type: Serial (Book,Monograph)
7. Blumberg H., H.J. Griesser, M. Hornyak (1992). [Distal post-traumatic edema--symptom of a sympathetic reflex dystrophy (Sudeck's disease)?] Das distale posttraumatische Odem--Symptom einer sympathischen Reflexdystrophie (M. Sudeck)? *Z Orthop Ihre Grenzgeb* 130(1), 9 - 15.
8. Blumberg H., U. Hoffmann, M. Mohadjer, R. Scheremet (1994). Clinical phenomenology and mechanisms of reflex sympathetic dystrophy: emphasis on edema. Gehart GF, Hammond DL, Jensen TS, editors., 455-481. 1994. Seattle, IASP Press. *Proceedings of the 7th World Congress on Pain, Progress in Pain research and Management*. Ref Type: Serial (Book,Monograph).
9. Blumberg H., H.J. Griesser, M. Hornyak (1990). [New viewpoints on the clinical picture, diagnosis and pathophysiology of reflex sympathetic dystrophy (Sudeck's disease)] Neue Gesichtspunkte zur Klinik, Diagnostik und Pathophysiologie der sympathischen Reflexdystrophie (Morbus Sudeck). *Unfallchirurgie* 16(2), 95 - 106.
10. Blumberg H., U. Hoffmann (1992). Der "ISchämietest" - ein neues Verfahren in der klinischen Diagnostik der sympathischen Reflexdystrophie (Kausalgie, Morbus Sudeck). *Der Schmerz* 6, 196 - 8.

11. Carls J. (n.d.). DMSO in der Handtherapie (2007), from AFH - Akademie für Handrehabilitation: <http://www.akademie-fuer-handrehabilitation.de>
12. De Jong J. R., J.W. Vlaeyen, P. Onghena, C. Cuypers, M. den Hollander & J. Ruijgrok (2005). Reduction of pain-related fear in complex regional pain syndrome type I: The application of graded exposure in vivo. *Pain* 116, 264 - 275.
13. Deuschl G., H. Blumberg, C.H. Lucking (1991). Tremor in reflex sympathetic dystrophy. *Arch Neurol* 48(12), 1247 - 52.
14. Diener H.C., N. Putzki (2008). Leitlinien für Diagnostik und Therapie in der Neurologie, 4. überarbeitete Auflage, Thieme Verlag Stuttgart, S. 641ff.
15. Drucker W.R., C.A. Hubay, W.D. Holden, J.A. Bukovnic (1959). Pathogenesis of posttraumatic sympathetic dystrophy. *Am J Surg* 97, 454 - 65.
16. Eisenberg E., E. Melamed (2003). Can complex regional pain syndrome be painless? *Pain* 106(3), 263 - 7.
17. Field J., D.L. Protheroe, R.M. Atkins (1994). Algodystrophy after Colles fractures is associated with secondary tightness of casts. *J Bone Joint Surg Br* 76(6), 901 - 5.
18. Gellman H., R.R. Eckert, M.J. Botte, I. Sakimura, R.L. Waters (1988). Reflex sympathetic dystrophy in cervical spinal cord injury patients. *Clin Orthop* (233), 126 - 31.
19. Goris R.J. (1985). Treatment of reflex sympathetic dystrophy with hydroxyl radical scavengers. *Unfallchirurg* 88(7), 330 - 2.
20. Inhofe, P.D., C.A. Garcia-Moral (1994). Reflex sympathetic dystrophy. A. review of the literature and a long term outcome study. *Ortho Rev* 23, 655 - 661.
21. Kappler R., & A. Kelso (1984). Thermographic studie of skin temperature in patients receiving osteopathic manipulative treatment for peripheral nerve problems. *J Am Osteopath Assoc* 84, 76.
22. Kozin F., D.J. McCarty, J. Sims, H. Genant (1976). The reflex sympathetic dystrophy syndrome. I. Clinical and histologic studies: evidence for bilaterality, response to corticosteroids and articular involvement. *Am J Med* 60(3), 321 - 31.
23. Köck F., N. Borisch, B. Koester & J. Grifka (2003). Das komplexe regionale Schmerzsyndrom Typ I (CRPS I). *Orthopäde* , 32, 418 - 431.
24. Langendijk P., W. Zuurmond, H. van Apeldoorn, A. van Loenen & J. de Lange (1993). Goede resultaten van behandeling van acute refelectoir-sympathische dystrofie met een 50%-dimethylsulfoxide-crème. *Nederlandse Tijdschrift Geneeskunde* 137 (10), 500 - 503.
25. Lindenfeld T.N., B.R. Bach, E.M. Wojtys (1996). Reflex sympathetic dystrophy and pain dysfunction in the lower extremity. *J. Bone Joint Surg* 78-A, 1936 - 1944.
26. Lynch M.E. (1992). Psychological aspects of reflex sympathetic dystrophy: a review of the adult and paediatric literature. *Pain* 49(3), 337 - 47.

27. Maihöfner C., H.O. Handwerker, B. Neundörfer & F. Birklein (2003). Patterns of cortical reorganization in complex regional pain syndrom. *Neurology* 61, 1707 - 1715.
28. Martini A.K., J. Wirth, L. Zichner. *Orthopädie und Orthopädische Chirurgie, Ellenbogen, Unterarm, Hand.* Stuttgart: Thieme Verlag, 2003: 612
29. Menck J. Y., M.S. Requejo, & K. Kulig. (2000). Thoracic spine dysfunction in upper extremity complex regional pain syndrome type I. *Journal of Orthopaedic & Sports Physical Therapy*, 30 (7), 400 - 409.
30. Moseley G. L. (2004). Why do people with complex regional pain syndrome take longer to recognize their affected hand? *Neurology* 62, 2182 - 2186.
31. Moseley G. L. (2005). Is successful rehabilitation of complex regional pain syndrome due to sustained attention of the affected limb? A randomised clinical trial. *Pain*, 114, 54 - 61.
32. Moseley G. L. (2005). Is succesful rehabilitation of complex regional pain syndrom due to sustained attention to the affected limb? A randomise clinical trial. *Pain*, 114, 54 - 61.
33. Moseley G. L. (2006). Graded motor imagery for pathologic pain. A randomized controlled trial. *Neurology*, 67, 2129 - 2134.
34. Moseley G. L., N. Zalucki, F. Birklein, J. Marinus, J.J. van Hilten & H. Luomajoki (2008). Thinking about movement hurts: The effect of motor imagery on pain and swelling in people with chronic arm pain. *Arthritis & Rheumatism (Arthritis Care & Research)* 59 (5), 623 - 631.
35. Nederlandse Vereniging van Revalidatieartsen en Nederlandse Vereniging voor Anesthesiologie. (2006). *Richtlijn Complex Regionaal Pijn Syndroom type 1.* Utrecht: Van Zuiden Communications B.V.
36. Oaklander A.L., J.G. Rissmiller, L.B. Gelman, L. Zheng, Yuchiao Chang, R. Gott (2005). Evidence of focal small-fiber axonal degeneration in complex regional pain syndrome-I (reflex sympathetic dystrophy). *Nerve Injury Unit, Departments of Anesthesiology, Neurology, and Neuropathology, Massachusetts General Hospital and Harvard Medical School, Boston, USA.*
37. Petersen L.J.S.J.H. (!990). Cutaneous blood flow rates during orthostatic manoeuvres measured by laser Doppler flowmetry. *Acta Derm Venerol* 70, 144 - 7.
38. Perez R., W. Zuurmond, P. Bezemer, D. Kuik, A. van Loenen, J. de Lange et al., (2003). The treatment of complex regional pain syndrome type I with free radical scavengers: a randomized controlled study. *Pain* 102, 297 - 307.
39. Perez R., Zollinger, P., Dijkstra, P., Thomassen-Hilgersom, I., Zuurmond, W., Rosenbrand, C., et al. (2007). *Richtlijn "Complex regionaal pijnsyndroom type 1". Nederlandse Tijdschrift Geneeskunde*, 151 (30), 1674 - 1679.
40. Plewes L.W. (1956). Sudeck's atrophy in the hand. *J Bone Joint Surg* 38 B, 195 - 203.

41. Rommel O., M. Gehling, R. Dertwinkel, K. Witscher, M. Zenz, J.P. Malin, W. Janig (1999). Hemisensory impairment in patients with complex regional pain syndrome. *Pain* 80(1-2): 95 - 101.
42. Rotkirch T.v.B.W. (1989). Das Sudeck-Syndrom der Hand. *Handchir Mikrochir Plast Chir* 21, 115 - 26.
43. Schwartzman R.J., T.L. McLellan (1987). Reflex sympathetic dystrophy. A review. *Arch Neurol* 44(5), 555 - 61.
44. Shiraishi S., H. Kobayashi, T. Nihashi, K. Kato, S. Iwano, M. Nishino (2006) et al. Cerebral glucose metabolism change in patients with complex regional pain syndrome: a PET study. *Radiat Med* 24(5), 335 - 44.
45. Stanton-Hicks M., W. Jänig, S. Hassenbusch, J. Haddox, R. Boas, & P. Wilson (1995). Reflex sympathetic dystrophy: changing concept and taxonomy. *Pain*, 63, 127 - 133.
46. Sudeck P. (1902). Über die akute (trophoneurotische) Knochenatrophie nach Entzündungen und Traumen der Extremitäten. *Dtsche Med Wschrift* 1902, 28, 336 - 8.
47. Sudeck P. (1942). Die sogenannte akute Knochenatrophie als Entzündungsvorgang. *Chirurg*, 14, 449 - 458.
48. Swart C.K., J.F. Stins & P.J. Beek (2008, Dec 18). Cortical changes in complex regional pain syndrome. *European journal of pain*, Epub.
49. Van der Laan L., & R. Goris (1997). Sudeck Syndrom. Hatte Sudeck recht? *Unfallchirurg* 100, 90 - 99.
50. Van der Laan L. & R., A.G. Jan (1997). Reflex sympathetic dystrophy ; An exaggerated regional inflammatory response? *Hand clinics* 13 (3), 373 - 385.
51. Van der Laan L., P. Veldman, & R. Goris (1997). Letter to the editor. *Pain*, 69, 1.
52. Veldman P.H, H.M. Reynen, I.E. Arntz, R.J. Goris (1993). Signs and symptoms of reflex sympathetic dystrophy: prospective study of 829 patients. *Lancet* 342(8878), 1012 - 1016.
53. Zalpour C. (2006). Anatomie und Physiologie für die Physiotherapie (2. Auflage ed.). München - Jena: Urban & Fischer Verlag.
54. Zuurmond W. (2001). Chronische pijn. Wormer: Inmerc bv.
55. Zuurmond W., P. Langendijk, P. Bezemer, H. Brink, J. de Lange & A. van Loenen (1996). Treatment of acute reflex sympathetic dystrophy with DMSO 50% in a fatty cream. *Acta Anaesthesiologica Scandinavica* 40, 364 - 367.